



ELECTRICAL - ALL NEW ELECTRICAL WORK IS DESIGNED, INSTALLED, INSPECTED AND TESTED IN ACCORDANCE WITH BS7671 (I.E.E. WIRING REGULATIONS 16TH EDITION) THE WORKS ARE TO BE UNDERTAKEN BY AN INSTALLER REGISTERED UNDER A SUITABLE ELECTRICAL SELF-CERTIFICATION SCHEME, OR ALTERNATIVELY BY A SUITABLY QUALIFIED PERSON WITH A CERTIFICATE OF COMPLIANCE PRODUCED BY THAT PERSON TO BUILDING CONTROL ON COMPLETION OF THE WORKS.

ALL GLAZING IN CRITICAL AREAS TO BE SAFETY GLASS COMPLYING WITH BS 6206 1981.

AN IN-LINE BLENDING VALVE OR OTHER APPROPRIATE TEMPERATURE CONTROL DEVICE TO LIMIT THE WATER TEMPERATURE TO 48°C TO BE PROVIDED

SD DENOTES SELF CONTAINED COMBINED SMOKE DETECTOR / ALARM CONNECTED TO SOUNDER IN INNER ROOMS

HAIRDRESSER AREA 49.5M<sup>2</sup>

COCO 78.5M<sup>2</sup>

TOTAL AREA 128.0M<sup>2</sup>

**DAVID SCOTT** Architectural Design And Planning Consultant

9A The Knoll, Uley Stroud Gloucestershire GL11 5SR Mobile 07836 664089 email - david@scottdesigns.co.uk  
 CLIENT : STROUDWATER REDEVELOPMENT PARTNERSHIP LTD DATE : JUNE 2022  
 PROJECT : SHOPS AT CENTRAL SQUARE EBLEY SCALE : 1:50 @ A2 and 100 @ A4  
 DRG TITLE : PROPOSED FLOOR PLAN DRG. NO. : S12/725/401